

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	73	349/148.ccls.	USPAT
2	BRS	L2	70	1 and @ad<=20001017	USPAT
3	BRS	L3	24	2 and (electrode\$ or electrode adj pad) same length	USPAT
4	BRS	L4	51798	(electrode\$ or electrode adj pad or electrode adj link\$) same length	USPAT
5	BRS	L5	545	349/139.ccls.	USPAT
6	BRS	L6	3	1 and 4 and 5 and @ad<=20001017	USPAT
7	BRS	L7	51798	(electrode\$ or electrode adj pad\$ or electrode adj link\$) same length	USPAT
8	BRS	L8	47708	7 and @ad<=20001017	USPAT
9	BRS	L9	22845	8 and resistance	USPAT
10	BRS	L10	598	8 and resistance and driver adj circuit	USPAT
11	BRS	L11	265	8 and resistance and driver adj circuit and pixel	USPAT
12	BRS	L12	265	11 and @ad<=20001017	USPAT
13	BRS	L13	434	349/149.ccls.	USPAT
14	BRS	L14	7	12 and 13 and @ad<=20001017	USPAT
15	BRS	L15	258	12 not 14	USPAT
16	BRS	L16	37675	(electrode\$ or electrode adj pad\$ or electrode adj link\$) same length	US-PGPUB; EPO; JPO; DERWENT
17	BRS	L17	283	16 and resistance and driver adj circuit and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	BRS	L18	0	17 and @ad<=20001017	USPAT
19	BRS	L19	6	17 and @ad<=20001017	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	L20	0	17 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	BRS	L21	283	17 not 15	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	0	(("647689556488266190934651863053632255 736436") or ("5757058567475762040816524876539804357 51381") or ("5825449570366862079706531392559818057 64210") or ("4845482570848562155416537840568931857 73844") or ("5220443572930962155416559920583517057 77702") or ("5495353575102062526436566686586713857 90090") or ("5612799578413162551306567135590085457 98744") or ("5745090579346062560776567150604922858 05128") or ("5818562582543762591196577367609745358 37568") or ("5825439583169262688986577371520084758 44647") or ("5828433585191862748866580474523321158 83608") or ("5828429585230562878996586286541444358 98322") or ("5831709588079462884146599786552805659 20298") or ("5844314588368263001526600543553271259 26162") or ("5852481589413663043056600546563194059 40059") or ("5899547590332663099036605495564221359 40732") or	USPAT

	Type	L #	Hits	Search Text	DBs
2	BRS	L2	297	("6476895" "5757058" "5825449" "4845482" "5220443" "5495353" "5612799" "5745090" "5818562" "5825439" "5828433" "5828429" "5831709" "5844314" "5852481" "5899547" "5905555" "5946059" "5969702" "6023308" "6043971" "6049368" "6052167" "6083666" "6172410" "6175394" "6181389" "6219124" "6219124" "6388726" "6424401" "6472256"	USPAT
3	BRS	L4	366	((electrode\$ or electrode adj pad\$ or electrode adj link\$) same length) and resistance and driver adj circuit and pixel) not (((((electrode\$ or electrode adj pad\$ or electrode adj link\$) same length) and @ad<=20001017) and resistance and driver adj circuit and pixel) and @ad<=20001017) not (((((electrode\$ or electrode adj pad\$ or electrode adj link\$) same length) and @ad<=20001017) and resistance and driver adj circuit and pixel) and @ad<=20001017) and 349/149.cc1s. and @ad<=20001017))	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	L5	0	4 and 3	USPAT
5	BRS	L6	88	4 not 3	USPAT

	Type	L #	Hits	Search Text	DBs
6	BRS	L3	254	2 and @ad<=20001017	USPAT
7	BRS	L39	0	3 and 4	USPAT
8	BRS	L40	7174 1	(electrode\$ or electrode adj pad or electrode adj link\$ or pad) same length	USPAT
9	BRS	L41	43	40 and 2	USPAT